



# INSULKEY™

## FLEXIBLE INSULATION RETENTION CLIP

### APPLICATION

Effortlessly secure insulation with INSULKEY. Designed to preserve the building envelope, it installs seamlessly without causing penetrations. Non-combustible and versatile, it adapts to any THERMAZEE and insulation depth combination—even when the girts exceed insulation depth. Its slide-in-place design ensures simple, fast installation without the need for special tools. Just bend to fit and enjoy insulation retention quickly and easily!

### HOW IT WORKS


INSULKEY™ is designed for use with the ThermaZee® to securely hold exterior insulation in place by creating a mechanical retention point within one of the profile darts. The INSULKEY™ is inserted into the dart of the ThermaZee® and extended into the insulation layer. Once positioned, it can be either bent outward to wrap around the insulation face, or the insulation can be installed directly over the INSULKEY™, allowing the clip to puncture and grip the insulation for secure retention. This ensures insulation remains firmly in place during installation and over the life of the wall system, while maintaining compatibility with the complete Knight Wall Systems® rainscreen attachment assembly.

### MATERIAL SPECIFICATIONS


MATERIAL TYPE		ASTM A1046 ZM40 Steel
MIN. STEEL THICKNESS	18 GA	0.046 inches
YIELD STRESS, FY		50 ksi
AVAILABLE FINISHES		Standard Mill
SIZE		6 in. x 0.81 in.

All values are ultimate with 1-inch embedment.

### PRODUCT SPECIFICATIONS



### SECTION VIEW



NO EXPRESS WARRANTIES ARE GIVEN EXCEPT FOR ANY APPLICABLE WRITTEN WARRANTIES SPECIFICALLY PROVIDED BY KNIGHT WALL SYSTEMS®. ALL IMPLIED WARRANTIES INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. No freedom from any patent owned by KNIGHT WALL SYSTEMS® or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use. They are not guaranteed in any way by the Knight Wall Systems, Inc. since building design, engineering, and construction, including workmanship and materials are beyond the control of the manufacturer. The information provided here is subject to change without notice.

All content included on this document is and shall continue to be the property of Knight Wall Systems, Inc. or its content suppliers, and is protected under applicable copyright, trademark, and other proprietary rights. KNIGHT WALL SYSTEMS, the Knight Wall Systems design mark, MFI, THERMABRACKET, THERMASTOP, and FORMED TO PROTECT WHAT MATTERS MOST are trademarks of Knight Wall Systems, Inc. US Patent Nos. 8429866, 8973334, 9677268, 9732518, 98526655, D963894, 11299891, 11286676, and others are registered and pending patents of Knight Wall Systems, Inc. These lists are not exhaustive and Knight Wall Systems, Inc. does not waive its rights in regard to other intellectual property not listed.

© 2025 Knight Wall Systems, Inc. All rights reserved.